



# CAVASOL® W7 HP TL

## **Characteristics**

CAVASOL $^{\otimes}$  W7 HP TL is a 40% aqueous solution of a statistically hydroxypropylated ß-cyclodextrin derivative from Wacker-Chemie GmbH

# **Special characteristics**

 Chemical name: 2-hydroxypropylß-cyclodextrin 128446-35-5

Appearance: Clear yellowish liquid
 Average mol. weight: 1380 – 1500 (calc.)
 Density 1.1 – 1.2 g/ml
 Viscosity 0 - 80 mPas

# **Storage**


Storage at room temperature in sealed containers under dry conditions is recommended. CAVASOL® W7 HP TL has a shelf life of six months from the date on the delivery note.

Continued storage beyond the designated shelf life does not necessarily mean the material cannot be used. However, it is imperative for reasons of quality assurance that the user checks product data of significance for the intended application.

## **Package**

Units of 200 kg, 1000 kg, bulk.

# **Chemical structure**



$$R = \left\{ CH_2 - CH - O \right\}_{n}^{\perp}$$

$$R = \left\{ CH_2 - CH - O \right\}_{n}^{\perp}$$

$$R = 0.1.2...$$

## **Product data**

Gador data	
Parameter	Value
Molar substitution (per anhydro glucose unit):	0.6 – 0.9
Total Cyclodextrin:	40 % ± 1.5%
Residual Propylene Oxide	5 ppm max.
Total Ash:	1.5 % max.
Organic volatiles (glycols):	5.0 % max.





## **Additional information**

Registration

TSCA, AICS, ELINCS

INCI: Hydroxypropyl Cyclodextrin

## **Tariff Numbers:**

EU: 2940 00 90 India: 2940.00.00 South Korea: 2940.00.20.90 USA: 2940.00.60.00 Japan: 2940.00.010

## Safety information

Detailed safety information is contained in each material data safety sheet, which can be obtained from our sales offices.

The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the products for a particular purpose.

The management system has been certified according to DIN EN ISO 9001 and DIN EN ISO 14001



and  ${\sf CAVASOL}^{\it \&}$  are trademarks of Wacker-Chemie GmbH.

Version 2.00 from 17-03-03 replaces Version 1.00 from November 1999 For technical, quality, or product safety questions, please contact:

GERMANY Wacker-Chemie GmbH Johannes-Hess-Straße 24 D-84489 Burghausen Tel.: +49 (8677) 83 – 3782 Fax: +49 (8677) 83 – 7301

**USA Wacker Chemical Corp.**3301 Sutton Road
Adrian, Mi 49221-9397
Tel.: +1 (517) 264 – 8671
Fax: +1 (517) 264 – 8795

www.wacker.com specialties@wacker.com